


CERTIFICATE OF EMC

CERTIFICATE NO.: SET2015-01558

Wu Lion





SET2015-01558

EMC TEST REPORT

Report No.:

Product:

Model No:


Applicant:

Address:

Issued by:

Lab location:

Tel:



查询码: 6PA7ZR5b








Table of Contents

Report





1 General Information

1.1 Description of EUT

Product:

Model No.:

Brand Name:

Serial No.:

Rating:

Accessories:




2.3 Test Standards and Results

EMISSION		
Standard	Test Type	Result

IMMUNITY (EN61000-6-2:2005)		
Basic Standard	Test Type	Result



SET2015-01558





3 Emission Test

3.1 EUT Setup and Operating Conditions

3.2 Radiated Disturbance Measurement


3.2.1 Limits of Radiated Disturbance



Frequency range (MHz)	Quasi peak limits(dB μ V/m), at 10m measurement distance

Notes:



SET2015-01558







4 Immunity Test

4.1 EUT Setup and Operating Conditions

4.2 Performance Criteria

Criterion A	
Criterion B	
Criterion C	


4.3 Electrostatic Discharge Immunity Test



4.3.1 Test Specification

Basic Standard:	
Discharge Impedance	
Discharge Voltage:	
Polarity:	
Number of Discharge:	
Discharge Mode:	
Discharge Period:	
Criterion:	



SET2015-01558







4.4.3 Test Result

Frequency	Polarity	Azimuth	Field Strength (V/m)	Observation	Comply with Criterion



4.5.3 Test Result

Test Point	Polarity	Test Level (kV)	Observation	Comply with Criterion


NOTE:

4.6 Surge Immunity Test

4.6.1 Test Specification

Basic Standard:	
Waveform:	μ μ
Test Voltage:	
Polarity:	
Repetition Rate:	
Times:	
Criterion:	

4.6.2 Test Setup



4.6.3 Test Result

Coupling Line	Polarity	Voltage (kV)	Observation	Comply with Criterion

NOTE:



4.7 Immunity to Conducted Disturbances Induced by RF Fields

4.7.1 Test Specification

Basic Standard:	
Frequency Range:	
Field Strength:	
Modulation:	





4.8 Power Frequency Magnetic Field Immunity Test

4.8.1 Test Specification


Basic Standard:	
Frequency Range:	

Appendix I Photographs of the EUT



Appendix II Photographs of EMC Test Configuration


1. Radiated Field Strength Measurement




2. Electrostatic Discharge Immunity Test




3. Radiated, Radio Frequency Electromagnetic Field Immunity Test (below 1GHz)




4. Radiated, Radio Frequency Electromagnetic Field Immunity Test (above 1GHz)



5. Electrical Fast Transient/Burst Immunity Test



6. Surge Immunity Test



7. Immunity to Conducted Disturbances Induced by RF Fields

8. Power Frequency magnetic Field Immunity



STATEMENT

1. **This test laboratory is accredited by CNAS, Accreditation Certificate No.L1659.**
- 2.